

DANSK: Domain Generalization of Danish Named Entity Recognition

Kenneth Enevoldsen, Aarhus University kenneth.enevoldsen@cas.au.dk

Emil Trenckner Jessen, Aarhus University

Rebekah Baglini, Aarhus University

Abstract Named entity recognition is an important application within Danish NLP, essential within both industry and research. However, Danish NER is inhibited by a lack coverage across domains and entity types. As a consequence, no current models are capable of fine-grained named entity recognition, nor have they been evaluated for potential generalizability issues across datasets and domains. To alleviate these limitations, this paper introduces: 1) DANSK: a named entity dataset providing for high-granularity tagging as well as within-domain evaluation of models across a diverse set of domains; 2) and three generalizable models with fine-grained annotation available in DaCy 2.6.0; and 3) an evaluation of current state-of-the-art models' ability to generalize across domains. The evaluation of existing and new models revealed notable performance discrepancies across domains, which should be addressed within the field. Shortcomings of the annotation quality of the dataset and its impact on model training and evaluation are also discussed. Despite these limitations, we advocate for the use of the new dataset DANSK alongside further work on generalizability within Danish NER.

1 Introduction

Danish Annotations for NLP Specific Tasks (DANSK) is a new gold-standard dataset for Danish with named entity annotations for 18 distinct classes. The annotated texts are from 25 text sources that span 7 different domains and have been derived from the Danish Gigaword Corpus (Strömberg-Derczynski et al., 2021). The dataset is publicly accessible¹ and pre-partitioned into a training, validation, and testing set in order to standardize future model evaluations.

1.1 Related Work and Motivation

The release of DANSK is motivated by current limitations facing Danish NER. This introduced existing work and their shortcomings.

DaNE or Danish Named Entities (Hvingelby et al., 2020a) is an extension upon the Danish Dependency Treebank (DDT) (Nivre et al., 2016) using the CoNLL-2003 annotation standard consisting of four entity types. DaNE features high-quality annotations (inter-rater agreements of Cohen's $\kappa=0.87$ when excluding O tags) and is the dataset generally used for production ready system (Enevoldsen et al., 2021; Akbik et al., 2019;

Honnibal et al., 2020).

Dan+ (Plank et al., 2021) similarly annotate DDT using the CoNLL 2023 schema, but extends it further by including social media and annotating for nested named entities. With nesting, the social media domains Reddit and Twitter obtains a κ scores of 87.81 and 80.94 respectively. κ is not reported for their annotations of DDT.

Based on these sources we highlight the following limitations of Danish NER;

1. Multiple important domains such conversational speech, legal documents, web articles are currently not covered by current datasets. Moreover, even domains such as news is only covered by text spanning the period 1883-1992, thus no contemporary linguistic trends are included.
2. Current datasets are limited to the CoNLL-2003 annotation standard consisting of four entity types, as opposed to more fine-grained NER datasets like OntoNotes 5.0 which include 18 entity types, notably covered domain-specific entities such as "LAW" and does not include a "MISC", which is often excluded from evaluations (Nielsen, 2023) due to its lack of specificity.

¹<https://huggingface.co/datasets/chcaa/dansk-ner>

DANSK seeks to address these limitations, in part to navigate impediments to generalizability (Kirkedal et al., 2019), where domain shifts in data cause drops in performance, as models are optimized for the training and validation data, making cross-domain evaluation crucial (Plank et al., 2021). A study by Enevoldsen et al. (2021), furthermore found generalizability issues for Danish NER, not across domains, but across different types of data augmentations — further indicating generalizability issues for Danish models. Based on DANSK, we also introduce three new models of varying sizes available through DaCy 2.6.0 (Enevoldsen et al., 2021) that are specifically developed for fine-grained NER on the comprehensive array of domains included in DANSK to ensure generalizability.

Finally, we evaluate the three newly released models against some of the currently best-performing and most widely-used NLP models within Danish NER using the DANSK dataset, in order to attain estimates of generalizability across domains.

2 Dataset

2.1 The Danish Gigaword Corpus

The texts in the DANSK dataset were sampled from the Danish Gigaword Corpus (DAGW) (Strømberg-Derczynski et al., 2021), a new Danish corpus of over 1 billion words, consisting of 25 different media sources across 7 domains (see Appendix A.3.2). “Domains” within DANSK are inherited directly from the Danish Gigaword Corpus (DAGW) (Strømberg-Derczynski et al., 2021). Naturally, some domains constitute more coherent genres of text than others (e.g. “Legal” versus “Web” or “Social Media” but we have retained these labels to maintain consistency with DAGW. We take domain to refer to a distinct area or field of knowledge or activity characterized by its specific terminology, linguistic patterns, and/or unique challenges in language processing.

2.2 Initial named entity annotation

For annotation of DANSK, DAGW was filtered to exclude texts from prior to 2000 and segmented into sentences using spaCy’s rule-based “sentencizer” (Honni-bal et al., 2020). DANSK uses the annotation standard of OntoNotes 5.0. For NER annotation using Prodigy (Montani and Honnibal, 2018), texts were first divided up equally for the 10 annotators, with a 10% overlap between the assigned texts (i.e. 10% of texts were annotated by all annotators). The annotators were 10 native speakers of Danish (nine female, one male) between the ages of 22-30 years old, studying in the Masters degree program in English Linguistics at Aarhus Univer-

	Cohen’s κ	
	Initial	Reviewed
Annotator 1	0.6	0.92
Annotator 2	0.52	-
Annotator 3	0.51	0.93
Annotator 4	0.58	0.93
Annotator 5	0.54	0.91
Annotator 6	0.56	0.93
Annotator 7	0.47	0.93
Annotator 8	0.51	0.89
Annotator 9	0.52	0.92
Annotator 10	0.56	-
Average		0.92

Table 1: Table showing the average Cohen’s κ scores for each rater for the overlapping data after the initial annotation and after the annotations were reviewed and improved (see section 2.3).

sity. For fine-grained NER annotation, instructions followed the 18 shorthand descriptions of the OntoNotes 5.0 named entity types (Weischedel et al., 2012). For more information on the recruitment and compensation of annotators and the annotation instruction process, see Section 8 and Appendix A.4.2. Initial annotations suffered from poor intercoder reliability, as measured by Cohen’s kappa (κ) scores over tokens, calculated by matching each rater pairwise to every other (Table 1). However it has been argued that Cohen’s kappa poorly reflect annotation quality due to its requirement for negative cases, and Macro F1 score has been proposed as a better alternative (Brandsen et al., 2020). The span-level Macro F1 scores were calculated for all annotators (Table 2) using the spaCy implementation (v. 3.5.4).

2.3 Annotation improvement

Due to the low consensus between annotators, it was deemed necessary for the annotated texts to undergo additional processing before they could be unified into a coherent, high-quality dataset.

Texts with multiple annotators Some curated datasets utilize a single annotator for manual resolution of conflicts between raters (Weischedel et al., 2012). While this is sometimes necessary, it skews annotations towards the opinion of a single annotator rather than the general consensus across raters. In order to resolve conflicts while diminishing this skew, we took a two-step approach: first, an automated procedure was employed to resolve the majority of annotation disagreements systematically; second, a small number of texts with remaining annotation conflicts were resolved manually.

Named-entity type	Macro F1 (Span)	SD
CARDINAL	0.47	0.23
DATE	0.55	0.21
EVENT	0.5	0.34
FACILITY	0.22	0.38
GPE	0.91	0.05
LANGUAGE	0.0	0.0
LAW	0.23	0.32
LOCATION	0.22	0.24
MONEY	0.62	0.49
NORP	0.5	0.39
ORDINAL	0.5	0.27
ORGANIZATION	0.72	0.14
PERCENT	0.0	0.0
PERSON	0.59	0.32
PRODUCT	0.12	0.23
QUANTITY	0.18	0.26
TIME	0.33	0.36
WORK OF ART	0.4	0.29

Table 2: The macro F1-scores across the raters for each of the named entity types.

The automated procedure for resolving annotation disagreements was rule-based and followed a decision tree-like structure (Figure 1). It was only applied to texts that had been annotated by a minimum of four raters, ensuring that that an annotation with no consensus was accepted in a text annotated by two annotators. To exemplify the streamlining of the multi-annotated texts, Figure 2 is included.

After employing the automated procedure, the 886 multi-annotated texts went from having 513 (58%) texts with complete rater agreement to 789 (89%). The texts with complete agreement were added to the DANSK dataset, while the remaining 97 (21%) of the multi-annotated texts had remaining annotation conflicts. The remaining texts with conflicting annotations were resolved manually by the first author, by changing any annotations that did not comply with the extended OntoNotes annotation guidelines. However, three texts were of such bad quality that they were rejected and excluded. The remaining resolved 94 texts were then added to DANSK.

Finally, to ensure that any named entities of the type LANGUAGE, PERCENT, and PRODUCT had not been missed by the annotators, an extra measure was taken. The model TNER/Roberta-Large-OntoNotes⁵ was used to add these types of annotations to the accepted multi-annotated texts (Ushio and Camacho-Collados, 2021). Each text with any predictions by the models was then manually assessed by the first author, to inspect

⁵<https://huggingface.co/tner/roberta-large-ontonotes5>




Figure 1: The decision tree for automated conflict resolution of multi-annotated texts. Each annotation span in a text followed the steps from 1 to 4 on the diagram. The decision tree was only followed for annotation spans found in texts that had been annotated by at least four raters.

	Initial annotation	Streamlined annotation
Rater 1	[Mette F.] (PER) er statsminister i [DK] (GPE)	[Mette F.] (PER) er statsminister i [DK] (GPE)
Rater 3	[Mette F.] (PER) er statsminister i [DK] (GPE)	[Mette F.] (PER) er statsminister i [DK] (GPE)
Rater 5	[Mette] (PER) F. er statsminister i DK	[Mette] (PER) F. er statsminister i [DK] (GPE)
Rater 9	[Mette] (PER) F. er [statsminister] (PER) i DK	[Mette] (PER) F. er statsminister i [DK] (GPE)

Figure 2: An example of a text along with its four annotations being processed on the basis of the decision-tree in Figure 1.

whether the additional model annotations should be included. None of the predictions matched the annotation guidelines and were thus not added to the texts. This step concluded the processing of the multi-annotated texts, which resulted in a total of 883 texts added to the DANSK dataset.

Texts with a single annotator Based on the low consensus between the multiple raters, it was assumed that documents annotated by a single annotator might

not meet a sufficient quality standard. To refine these annotations, we utilize the reviewed annotations from multiple annotators to train a model. This model is then applied to the data such that detected discrepancies between model and human annotations are reviewed and manually resolved by the authors. The rationale for this process is that it propagates the aggregated annotations across the dataset and can thus be seen as a supervised approach to anomaly detection

As the preliminary DANSK dataset included relatively few annotations, we explored the effect of enriching our existing datasets using the English subsection of OntoNotes 5.0 (Recchia and Jones, 2009). We trained a total of three NER models using a multilingual xlm-roberta-large³ to allow for cross-lingual transfer (Conneau et al., 2020): 1) the first model on 80% of the preliminary DANSK dataset; 2) the second building on (1) by adding English OntoNotes 5.0 and 3) the third duplicating the 80% of the preliminary DANSK to match the size of the English OntoNotes 5.0. All three models were validated on the remaining 20%. The best model (the third, (3)) was then applied to the remaining 15062 texts and discrepancies were manually resolved by the second author. The best model obtained an span macro-F1 of 0.80 and were trained using spaCy’s transition-based parser (v2) with a batch size of 128, a gradient accumulation of 3 and a max learning rate of 5e-5 trained for 20 000 steps with 250 steps of warm-up. The remainder of the parameters were set to the default (in spaCy v. 3.5.4).

Resolving remaining inconsistencies Because of the large number of annotation reviews, we were able to identify common annotation mistakes. To further enhance the quality of the annotations, all texts were screened for common errors using a list of regex patterns (see and Appendix A.5.1). This resulted in flagged matches in 449 texts which were re-annotated in accordance with the OntoNotes 5.0 extended annotation guidelines (Weischedel et al., 2012) and the newly developed Danish Addendum designed to clarify ambiguities and issues specific to Danish texts, as described in the full dataset card (Appendix A).

3 Final dataset: DANSK

3.1 DANSK quality assessment

Average Cohen’s κ scores were calculated on the processed, finalized versions of texts with multiple annotators. All of the non-removed raters’ texts were included, as well as the preliminary version of DANSK with the conflicts resolved.

³<https://huggingface.co/xlm-roberta-large>

As expected, the average scores of the processed texts saw a marked increase, ultimately ranging between 0.93 and 0.89, compared with scores of the original annotated texts which ranged from 0.47 to 0.60 (Table 1).




Figure 3: Confusion matrix across annotated tokens before and after the automated streamlining.

To assess which inconsistencies still remained between the DANSK dataset and the raters’ annotations, a confusion matrix between the annotations of DANSK and the accumulated annotations of the processed rater texts was assessed. As can be seen in Figure 3, the majority of differences are cases in which a token or a span of tokens was considered a named entity by one party, but not by the other. In other words, no unequivocal systematic patterns between a pair of named entities existed.

To examine the final quality of the annotation process we lastly had the first author (Native speaker of Danish, Male, 29 Years) independently annotate 100 documents sampled from DANSK. These documents were sampled equally among the annotators on the non-overlapping datasets. The new annotations obtained an Span Macro-F1 of 96.6. These agreements mainly stemmed from cases which were either unclear due to too little context such as when the text was very short or cases where the labels is underspecified e.g. when a website URL (e.g. ”Jobindex.dk”) should be annotated as a organization.

3.2 DANSK descriptive statistics

To provide complete transparency about the dataset distributions, descriptive statistics are reported in the

dataset card⁴ and Appendix A with regard to source, domain, and named entities. In total DANSK consists of 15 062 documents and 14 462 entities.

4 DaCy model curation

4.1 Model Specifications

In order to contribute to Danish NLP with both fine-grained tagging as well as non-domain specific performance, three new models were fine-tuned to the newly developed DANSK dataset. The three models differed in size and included a large, medium, and small model as they were fine-tuned versions of `dfm-encoder-large-v1`⁵, `DanskBERT`⁶ and `electra-small-nordic`⁷ (Snbjarnarson et al., 2023). These models contain 355, 278, and 22 million trainable parameters, respectively. They were chosen based on their ranking among the best-performing Danish language models within their size class, according to the ScandEval benchmark scores current as of the 7th of March, 2023 (Nielsen, 2023).

The models were all fine-tuned on the training partition of the DANSK dataset using the Python packages `spaCy 3.5` (Honnibal et al., 2020). The fine-tuning was performed on an NVIDIA T4 GPU through the UCloud interactive HPC system, which is managed by the eScience Center at the University of Southern Denmark. An exhaustive list of all configurations of the system, as well as hyperparameter settings, is provided in the GitHub repository⁸.

The three models shared the same hyperparameter settings for the training with the exception that the large model utilized an accumulated gradient of 3. They employed a batch size of 2048 and applied Adam as the optimizer with $V1 = 0.9$ and $V2 = 0.999$ and an initial learning rate of 0.0005. It used L2 normalization with weighted decay, $U = 0.01$, and gradient clipping with $c\text{-parameter} = 1.0$. For the NER head of the transformer, transition-based parser (Goldberg and Nivre, 2013) was used with a hidden width of 64. The models were trained for 20,000 steps with an early stopping patience of 1600. During training the model had a dropout rate of 0.1 and an initial learning rate of 0.0005.

For the progression of the training loss of the NER head, loss of the transformer, NER performance measured in recall, precision, and F1-score, refer to the dataset card and Appendix B.

⁴<https://huggingface.co/datasets/chcaa/dansk-ner>

⁵<https://huggingface.co/chcaa/dfm-encoder-large-v1>

⁶<https://huggingface.co/veisteinn/DanskBERT>

⁷<https://huggingface.co/jonfd/electra-small-nordic>

⁸<https://huggingface.co/datasets/chcaa/dansk-ner>

Fine-grained NER Models			
	Large	Medium	Small
F1-score	0.823	0.806	0.776
Recall	0.834	0.818	0.77
Precision	0.813	0.794	0.781

Table 3: Model performances in macro F1-scores. Bold and italics are used to represent the best and second-best scores, respectively.

Fine-grained NER Models			
Named-entity type	Large	Medium	Small
CARDINAL	0.87	0.78	0.89
DATE	0.85	0.86	0.87
EVENT	0.61	0.57	0.4
FACILITY	0.55	0.53	0.47
GPE	0.89	0.84	0.80
LANGUAGE	0.90	0.49	0.19
LAW	0.69	0.63	0.61
LOCATION	0.63	0.74	0.58
MONEY	0.99	1	0.94
NORP	0.78	0.89	0.79
ORDINAL	0.70	0.7	0.73
ORGANIZATION	0.86	0.85	0.78
PERCENT	0.92	0.96	0.96
PERSON	0.87	0.87	0.83
PRODUCT	0.67	0.64	0.53
QUANTITY	0.39	0.65	0.71
TIME	0.64	0.57	0.71
WORK OF ART	0.49	0.64	0.49
AVERAGE	0.82	0.81	0.78

Table 4: Model performances in Macro F1-scores within each named entity type. Bold and italics are used to represent the best and second-best scores, respectively.

4.2 Results

This section presents the results of the performance evaluation. An overview of the general performance of the three fine-grained models is reported in Table 3. Domain-level performance can be seen in Table 5. To account for the differences in domain size, Figure 4 is further included as it adds an additional dimension of information through the depiction of the size of the domains. Insights into performance within named entity categories are provided in Table 4.

Refer to the dataset card and Appendix A for full information on the distributions for named entities and domains within the partitions.

Figure 4: Domain performance in macro F1-scores of the three models on the test partition of DANSK. The size of the circles represents the size of the domains, and thus their relative weighted impact on the overall scores. See Table 5 for scores.

Fine-grained Ner Models			
Domain	Large	Medium	Small
All domains	0.82	0.81	0.78
Conversation	0.80	0.72	0.82
Dannet	0.75	0.667	1
Legal	0.85	0.85	0.87
News	0.84	0.76	0.86
Social Media	0.79	0.85	0.8
Web	0.83	0.80	0.76
Wiki and Books	0.78	0.84	0.71

Table 5: Model performances in macro F1-scores within each domain. Bold and italics are used to represent the best and second-best scores, respectively.

5 Model generalizability

5.1 Methods

5.1.1 Models

To assess whether there exists a generalizability issue for Danish language models, a number of SOTA models were chosen for evaluation on the test partition of the newly developed DANSK dataset. The field of Danish NLP and NER is evolving rapidly, making it hard to establish an overview of the most important models for Danish NER. However, the models for the evaluation were chosen on the basis of two factors; namely prominence of use, and performance. The latter was gauged on the basis of ScandEval, the NLU framework

for benchmarking (Nielsen, 2023).

At the time of the model search, the model `saattrupdan/nbailab-base-ner-scandi`⁹ ranked amongst the best-performing models for Danish (and Scandinavian) NER¹⁰. It was trained on the combined dataset of DaNE, NorNE, SUC 3.0, and the Icelandic and Faroese part of the WikiANN (Hvingelby et al., 2020b; Gustafson-Capková and Hartmann, 2006; Ejerhed et al., 1992; Jørgensen et al., 2019; Pan et al., 2017). Because of the wide palette of different datasets, texts from more domains are represented. It was thus conjectured that the model might not suffer from the generalizability issues outlined in the introduction section of the paper.

Apart from this model, the three v0.1.0 DaCy models large, medium, and small were also included. Note that these are the existing non-fine-grained models that were already in DaCy prior to the development of the fine-grained models presented in this paper. The models are fine-tuned versions of 1) Danish Ictra¹¹, Danish BERT¹², and the XLM-R (Conneau et al., 2020). The models are fine-tuned on DaNE (Hvingelby et al., 2020b) and DDT (Johannsen et al., 2015) for multitask prediction for multiple task including named-entity recognition and at the time of publication achieved state-of-the-art performance for Danish NER (Enevold-

⁹<https://huggingface.co/saattrupdan/nbailab-base-ner-scandi>

¹⁰<https://paperswithcode.com/sota/named-entity-recognition-on-dane>

¹¹<https://huggingface.co/Maltehb/aelaectra-danish-electra-small-cased>

¹²<https://huggingface.co/Maltehb/danish-bert-botxo>

sen et al., 2021).

We also include the NLP framework spaCy (Explosion AI, Berlin, Germany), to explore the generalization of production systems. SpaCy features three Danish models (small, medium, and large) which similarly to the DaCy models are multi-task models with NER capabilities. Although spaCy also includes a Danish transformer model, it was not incorporated in the generalizability analysis. The reason for this is that DaCy medium v.0.1.0 is already included and the two models are almost identical. Both are based on the model `Maltehb/danish-bert-botxo`¹⁴ and fine-tuned on DaNE, and thus only deviate on minor differences in hyperparameter settings.

In summary, the models included in the final evaluation were:

1. Base-ner-scandi (`nbailab-base-ner-scandi`)
2. DaCy large (`da_dacy_large_trf-0.2.0`)
3. DaCy medium (`da_dacy_medium_trf-0.2.0`)
4. DaCy small (`da_dacy_small_trf-0.2.0`)
5. spaCy large (`da_core_news_lg v. 3.5.0`)
6. spaCy medium (`da_core_news_md v. 3.5.0`)
7. spaCy small (`da_core_news_sm v. 3.5.0`)
8. Fine-grained large (`da_dacy_large_trf-0.1.0`)
9. Fine-grained medium (`da_dacy_medium_trf-0.1.0`)
10. Fine-grained small (`da_dacy_small_trf-0.1.0`)

5.1.2 Named Entity Label Transfer

A fine-grained NER dataset with 18 labels following the OntoNotes guidelines has not been publicly available for Danish until now. The aforementioned models have thus only been fine-tuned to the classic, more coarse-grained DaNE dataset that follows the CoNLL-2003 named entity annotation scheme (Sang and De Meulder, 2003; Hvingelby et al., 2020a). This includes the four named entity types PER (person), LOC (location), ORG (organization), and MISC (miscellaneous). This annotation scheme is radically different from the DANSK annotations that match the OntoNotes 5.0 standards. To enable an evaluation of the models, the DANSK named entity labels were coerced into the CoNLL-2003 standard in order to match the nature of the models, and specifically to assist us in highlighting performance disparities across out-of-distribution domains, such as "SoMe" and "Legal", which are new in the release of DaNSK.

As the description of both ORG and PER in CoNLL-2003 largely matches that of the extended OntoNotes, these named entity types could be used in the evaluation with a 1-to-1 mapping without further handling. However, in CoNLL-2003, LOC includes cities,

¹³Note that a model size of spaCy are not comparable to model sizes of transformer encoders

¹⁴<https://huggingface.co/Maltehb/danish-bert-botxo>

roads, mountains, abstract places, specific buildings, and meeting points (Hvingelby et al., 2020a; Sang and De Meulder, 2003). As the extended OntoNotes guidelines use both GPE and LOCATION, DANSK GPE annotations were mapped to LOC in an attempt to make the test more accurate. Predictions for the CoNLL-2003 MISC category, intended for names not captured by other categories (e.g. events and adjectives such as "2004 World Cup" and "Italian"), were excluded.

5.1.3 Evaluation

SOTA models were evaluated using macro average F1-statistics at a general level, a domain level, and finally F1-scores at the level of named entity types.

5.2 Results

Table 6 provides an overview of macro span-F1-scores as well as recall and precision statistics. The performance across domains and across named entity types are reported in Table 7 and Table 8.

Model	F1	Recall	Precision
Base-ner-scandi	0.64	0.59	0.70
DaCy large	0.68	0.67	0.69
DaCy medium	0.63	0.64	0.61
DaCy small	0.51	0.48	0.56
spaCy large	0.49	0.45	0.53
spaCy medium	0.49	0.47	0.52
spaCy small	0.32	0.32	0.32

Table 6: Overall performance on the DANSK test set in macro F1-score using the CoNLL-2003 Schema. Bold and italic represent the best and next best scores.

6 Discussion

6.1 DANSK dataset

The DANSK dataset enhances Danish NER by focusing on fine-grained named entity labels and diverse domains like conversations, legal matters, and web sources, but omits some domains in DaNE, such as magazines (Norling-Christensen, 1998; Hvingelby et al., 2020a). Entity distribution varies, influencing model performance for specific types.

DANSK's quality was benchmarked using models trained on different OntoNotes 5.0 annotated datasets (Luoma et al., 2021). Despite the dataset size disparity, performances for English and Finnish models were between F1-scores of .89 and .93 (Luoma et al., 2021; Li et al., 2022), notably higher than DANSK. Given the smaller size of DANSK (15062 texts) compared to English OntoNotes (600000 texts) (Weischedel et al.,

DANSK: Domain Generalization of Danish Named Entity Recognition

Model	Across	Conversational	Legal	News	SoMe	Web	Wiki
base-ner-scandi	0.64	0.66	0.59	0.67	0.71	0.63	0.80
DaCy Large	0.68	0.74	0.70	0.85	0.74	0.65	0.73
DaCy Medium	0.63	0.71	0.76	0.68	0.78	0.57	0.72
DaCy Small	0.51	0.68	0.61	0.67	0.35	0.46	0.62
spaCy Large	0.49	0.72	0.56	0.61	0.63	0.44	0.52
spaCy Medium	0.49	0.73	0.58	0.61	0.74	0.45	0.50
spaCy small	0.32	0.69	0.44	0.64	0.46	0.25	0.32

Table 7: The domain-level performances in macro F1-scores on the DANSK test set using the CoNLL-2003 Schema. Bold and italic represent the best and next best scores.

2012), performance for models trained on DANSK is expectedly lower, irrespective of annotation quality (Rusakovsky et al., 2015).

Annotation quality issues were tackled, improving Cohen's κ values from 0.5 to 0.9 (Table 1 and Table ..). Initial difficulties arose from suboptimal sampling from DAGW and insufficient annotator training. Future improvements include initial quality screening and comprehensive training with the OntoNotes 5.0 annotation scheme (Plank, 2022; Uma et al., 2021). In the release of the DANSK dataset, we include raw (per annotator) annotations to allow for transparency and further analysis of annotator disagreement.

6.2 DaCy models

New fine-grained models of varying sizes achieved macro F1-scores of 0.82, 0.81, and 0.78 respectively. Larger models generally performed better as would be expected. However, due to DANSK's domain imbalance, these scores should be treated carefully. Domains like web, conversation, and legal heavily influenced the F1-scores due to their larger text volume. Performance comparisons are based on OntoNotes 5.0 standard datasets due to the unique annotation scheme of DANSK.

Minor performance variation was found within each domain. The small models excelled in underrepresented domains like news, possibly leading to volatile results. Legal texts were easiest to classify with F1-scores of 0.85 and 0.87.

Classification performance varied with named entity types. Facilities, artworks, and quantities were difficult to predict, whereas entities like money, dates, percentages, GPEs, organizations, and cardinals were easier to classify. This can be attributed to the quantity and context of named entities in the training data. Some entity types might appear in similar contexts or have similar structures, hence easier to distinguish. Variance in performance may arise from differences in text quality and context. Given the observed performance differences across domains and named entity types, it's crucial to understand the strengths and limitations of the

new models within the DaCy framework.

6.3 SOTA models and generalizability

The new fine-grained DaCy models demonstrate higher performance on the DANSK dataset, compared to existing SOTA models (refer to Tables 6 and 3). However, due to annotation scheme discrepancies, a direct comparison is challenging.

Performance analysis is two-fold: evaluation across domains for each model, and comparison between models, both following the CoNLL-2003 annotation scheme.

Significant domain performance disparities were observed (see Table 7). For instance, base-ner-scandi scored F1-scores of 0.59 and 0.8 for legal and Wikipedia texts, respectively. Actual model accuracy may vary by domain, contrary to performance reported on DaNE. The models performed best on conversation and news texts, with web and wiki sources performing poorly.

Larger models generally outperformed smaller models, with base-ner-scandi and DaCy large performing best, with across-domain F1-scores of 0.64 and 0.68 respectively. The DaCy models, easily accessible via the DaCy framework, performed comparably or better than the base-ner-scandi model, hence DaCy is the preferred library for Danish NER.

Table 8 shows the performance of models within each non-fine-grained named entity class (CoNLL-2003) on the DaNSK test set, and includes scores for the previously best-performing non-fine-grained DaCy models (0.2.0). The release of fine-grained NER DaCy models (0.1.0) represents a significant performance improvement, from an overall average F1-score of 0.67 for DaCy Large (0.2.0) versus 0.85 for DaCy fine-grained large (0.1.0).

7 Conclusion

Danish NER suffers from limited dataset availability, lack of cross-validation, domain-specific evaluations, and fine-grained NER annotations. This paper intro-

DANSK: Domain Generalization of Danish Named Entity Recognition

Model	Average F1	Person F1	Organization F1	Location F1
DaCy large	0.67 (0.62, 0.72)	0.74 (0.67, 0.80)	0.50 (0.43, 0.57)	0.80 (0.73, 0.86)
DaCy medium	0.56 (0.49, 0.60)	0.62 (0.54, 0.68)	0.40 (0.32, 0.47)	0.66 (0.53, 0.75)
DaCy small	0.55 (0.50, 0.59)	0.64 (0.56, 0.71)	0.38 (0.31, 0.46)	0.65 (0.56, 0.72)
base-ner-scandi	0.64 (0.57, 0.69)	0.69 (0.62, 0.77)	0.49 (0.38, 0.59)	0.72 (0.58, 0.81)
SpaCy large	0.51 (0.43, 0.56)	0.60 (0.52, 0.68)	0.33 (0.24, 0.42)	0.61 (0.46, 0.71)
SpaCy Medium	0.50 (0.44, 0.55)	0.59 (0.51, 0.65)	0.32 (0.26, 0.41)	0.62 (0.48, 0.72)
SpaCy Small	0.34 (0.30, 0.40)	0.36 (0.29, 0.43)	0.22 (0.16, 0.29)	0.46 (0.35, 0.55)
Fine-grained large (ours)	0.85(0.81, 0.88)	0.86(0.80, 0.90)	0.79(0.73, 0.85)	0.93(0.89, 0.96)
Fine-grained medium (ours)	0.85(0.81, 0.88)	0.85 (0.79, 0.90)	0.80(0.76, 0.85)	0.91(0.86, 0.96)
Fine-grained small (ours)	0.83(0.80, 0.86)	0.87(0.82, 0.92)	0.79(0.74, 0.83)	0.85 (0.78, 0.92)

Table 8: Performance using the CoNLL-2003 Schema in F1-scores on the DaNSK test set. Bold and italic represent the best and next best scores. Scores are bootstrapped on the documents level and shows the mean the 95% confidence interval in showed in the parentheses.

duces DANSK, a high-granularity named entity dataset for within-domain evaluation, DaCy 2.6.0 with three generalizable, fine-grained models, and an evaluation of contemporary Danish models. DANSK, annotated following OntoNotes 5.0 and including metadata on text origin, facilitates across-domain evaluations. However, observed performance still falls short of what is seen among higher-resourced languages. DaCy models, trained on DANSK, achieve up to 0.82 macro F1-score on fine-grained NER across 18 categories. While work remains to be done to augment the size and quality of fine-gained named entity annotation in Danish, the release of DANSK and DaCy will assist in addressing generalizability issues in the field.

8 Ethics statement

Ethics Statement Our dataset is constructed based on the public dataset The Danish Gigaword corpus, which followed ethical practices in its composition. For spoken conversations, participants agreed on releasing anonymized transcripts of their conversations. Social media data only includes publicly available Tweets. Because distribution of this part of the dataset is through Tweet IDs and requires rehydration, any Tweets subsequently removed by the user are no longer included.

10 native Danish speakers enrolled in the English Linguistics Master's program were recruited as annotators through announcements in classrooms. This degree program was chosen because students receive relevant training in general linguistics, including syntactic analysis. We employed a larger group of students to adhere to institutional limitations on the number of hours student workers can have. The demographic bias of our annotators (nine female, one male) reflects the demographics of this MA program. Annotators worked 10 hours/week for six weeks from October 11, 2021, to November 22, 2021. Their annotation tasks included part-of-speech tagging, dependency parsing, and NER

annotation. Annotators were compensated at the standard rate for students, as determined by the collective agreement of the Danish Ministry of Finance and the Central Organization of Teachers and the CO10 Central Organization of 2010 (the CO10 joint agreement), which is 140DKK/hour.

We are committed to full transparency and replicability in our release of DaNSK. Following work by Mitchell et al. (2019) and (Geburu et al., 2021), we provide a dataset card for DANSK following the format proposed in Lhoest et al. (2021), which can be accessed here: <https://huggingface.co/datasets/chcaa/dansk-ner>. The dataset card and additional supporting information about the language resource will also be included in the Appendices upon publication.

Acknowledgements

All of the computation done for this project was performed on the UCloud interactive HPC system, which is managed by the eScience Center at the University of Southern Denmark.

References

- Akbik, Alan, Tanja Bergmann, Duncan Blythe, Kashif Rasul, Stefan Schweter, and Roland Vollgraf. 2019. FLAIR: An easy-to-use framework for state-of-the-art NLP. In Proceedings of the 2019 conference of the North American chapter of the association for computational linguistics (demonstrations), pages 54{59.
- Brandsen, Alex, Suzan Verberne, Milco Wansleben, and Karsten Lambers. 2020. Creating a dataset for named entity recognition in the archaeology domain. In Proceedings of the Twelfth Language Resources and Evaluation Conference, pages 4573{4577, Marseille, France. European Language Resources Association.

- Conneau, Alexis, Kartikay Khandelwal, Naman Goyal, Vishrav Chaudhary, Guillaume Wenzek, Francisco Guzman, Edouard Grave, Myle O., Luke Zettlemoyer, and Veselin Stoyanov. 2020. Unsupervised cross-lingual representation learning at scale.
- Ejerhed, Eva, Gunnel Almgren, Ola Wennstedt, and Magnus Astrom. 1992. The linguistic annotation system of the stockholm-uma project. Department of Linguistics, University of Umeå, Sweden
- Enevoldsen, Kenneth, Lasse Hansen, and Kristoffer Nielbo. 2021. Dacy: A unified framework for danish nlp. arXiv preprint arXiv:2107.05295
- Gebru, Timnit, Jamie Morgenstern, Briana Vecchione, Jennifer Wortman Vaughan, Hanna Wallach, Hal Daume III, and Kate Crawford. 2021. Datasheets for datasets. *Communications of the ACM* 64(12):8692.
- Goldberg, Yoav and Joakim Nivre. 2013. Training deterministic parsers with non-deterministic oracles. *Transactions of the association for Computational Linguistics* 1:403{414.
- Gustafson-Capková, Sofia and Bri Hartmann. 2006. Manual of the stockholm uma corpus version 2.0. Unpublished Work, pages 5{85.
- Honnibal, Matthew, Ines Montani, Sofie Van Landeghem, and Adriane Boyd. 2020. spaCy: Industrial-strength natural language processing in python. Publisher: Zenodo, Honolulu, HI, USA.
- Hvigelby, Rasmus, Amalie Brogaard Pauli, Maria Barre, Christina Rosted, Lasse Malm Lidgaard, and Anders Søgaard. 2020a. Dane: A named entity resource for danish. In *Proceedings of the 12th Language Resources and Evaluation Conference* pages 4597{4604.
- Hvigelby, Rasmus, Amalie Brogaard Pauli, Maria Barre, Christina Rosted, Lasse Malm Lidgaard, and Anders Søgaard. 2020b. Dane: A named entity resource for danish. In *Proceedings of the 12th language resources and evaluation conference* pages 4597{4604.
- Johannsen, Anders, Hector Martinez Alonso, and Barbara Plank. 2015. Universal dependencies for danish. In *International Workshop on Treebanks and Linguistic Theories (TLT14)* page 157.
- Jørgensen, Fredrik, Tobias Aasmoe, Anne-Stine Ruud Husevåg, Lilja Vrelid, and Erik Velldal. 2019. NorNE: Annotating named entities for norwegian. arXiv preprint arXiv:1911.12146
- Kirkedal, Andreas, Barbara Plank, Leon Derczynski, and Natalie Schluter. 2019. The lacunae of danish natural language processing. In *Proceedings of the 22nd Nordic Conference on Computational Linguistics* pages 356{362.
- Lhoest, Jentyn, Albert Villanova del Moral, Yacine Jernite, Abhishek Thakur, Patrick von Platen, Suraj Patil, Julien Chaumond, Mariama Drame, Julien Plu, Lewis Tunstall, et al. 2021. Datasets: A community library for natural language processing. arXiv preprint arXiv:2109.02846
- Li, Xiaoya, Jingrong Feng, Yuxian Meng, Qinghong Han, Fei Wu, and Jiwei Li. 2022. A unified MRC framework for named entity recognition.
- Luoma, Jouni, Li-Hsin Chang, Filip Ginter, and Sampo Pyysalo. 2021. Fine-grained named entity annotation for finnish. In *Proceedings of the 23rd Nordic Conference on Computational Linguistics (NoDaLiDa)* pages 135{144.
- Mitchell, Margaret, Simone Wu, Andrew Zaldivar, Parker Barnes, Lucy Vasserman, Ben Hutchinson, Elena Spitzer, Inioluwa Deborah Raji, and Timnit Gebru. 2019. Model cards for model reporting. *Proceedings of the conference on fairness, accountability, and transparency* pages 220{229.
- Montani, Ines and Matthew Honnibal. 2018. Prodigy: A new annotation tool for radically efficient machine teaching. *Artificial Intelligence to appear*
- Nielsen, Dan Saurup. 2023. Scandeval: A benchmark for scandinavian natural language processing. arXiv preprint arXiv:2304.00906
- Nivre, Joakim, Marie-Catherine de Marneffe, Filip Ginter, Yoav Goldberg, Jan Haji Christopher D. Manning, Ryan McDonald, Slav Petrov, Sampo Pyysalo, Natalia Silveira, Reut Tsarfaty, and Daniel Zeman. 2016. Universal dependencies v1: A multilingual treebank collection. In *Proceedings of the Tenth International Conference on Language Resources and Evaluation (LREC'16)* pages 1659{1666. European Language Resources Association (ELRA).
- Norling-Christensen, Ole & Asmussen Jørg. 1998. The corpus of the danish dictionary. *Lexikos* 8(8):223{242. Publisher: Bureau of the WAT.
- Pan, Xiaoman, Boliang Zhang, Jonathan May, Joel Nothman, Kevin Knight, and Heng Ji. 2017. Cross-lingual name tagging and linking for 282 languages. In *Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)* pages 1946{1958.

Plank, Barbara. 2022. The ‘problem’ of human label variation: On ground truth in data, modeling and evaluation.

Plank, Barbara, Kristian Nørgaard Jensen, and Rob van der Goot. 2021. DaN+: Danish nested named entities and lexical normalization.

Recchia, Gabriel and Michael N. Jones. 2009. More data trumps smarter algorithms: Comparing point-wise mutual information with latent semantic analysis. *Behavior research methods*, 41:647–656. Publisher: Springer.

Russakovsky, Olga, Jia Deng, Hao Su, Jonathan Krause, Sanjeev Satheesh, Sean Ma, Zhiheng Huang, Andrej Karpathy, Aditya Khosla, and Michael Bernstein. 2015. Imagenet large scale visual recognition challenge. *International journal of computer vision*, 115:211–252. Publisher: Springer.

Sang, Erik F. and Fien De Meulder. 2003. Introduction to the CoNLL-2003 shared task: Language-independent named entity recognition. *arXiv preprint cs/0306050*.

Snæbjarnarson, Vésteinn, Annika Simonsen, Goran Glavaš, and Ivan Vulić. 2023. Transfer to a low-resource language via close relatives: The case study on faroese. In *Proceedings of the 24th Nordic Conference on Computational Linguistics (NoDaLiDa)*, Tórshavn, Faroe Islands. Linköping University Electronic Press, Sweden.

Strømberg-Derczynski, Leon, Manuel Ciosici, Rebekah Baglini, Morten H. Christiansen, Jacob Aarup Dalsgaard, Riccardo Fusaroli, Peter Juel Henriksen, Rasmus Hvingelby, Andreas Kirkedal, Alex Speed Kjeldsen, Claus Ladefoged, Finn Årup Nielsen, Jens Madsen, Malte Lau Petersen, Jonathan Hvithamar Ryrstrøm, and Daniel Varab. 2021. The danish gigaword corpus. In *Proceedings of the 23rd Nordic Conference on Computational Linguistics (NoDaLiDa)*, pages 413–421. Linköping University Electronic Press, Sweden.

Uma, Alexandra, Tommaso Fornaciari, Anca Dumitrescu, Tristan Miller, Jon Chamberlain, Barbara Plank, Edwin Simpson, and Massimo Poesio. 2021. SemEval-2021 task 12: Learning with disagreements. In *Proceedings of the 15th International Workshop on Semantic Evaluation (SemEval-2021)*, pages 338–347. Association for Computational Linguistics.

Ushio, Asahi and Jose Camacho-Collados. 2021. T-NER: An all-round python library for transformer-based named entity recognition. In *Proceedings of the 16th Conference of the European Chapter of the Association*

for Computational Linguistics: System Demonstrations, pages 53–62. Association for Computational Linguistics.

Weischedel, Ralph, Pradeer Sameer, Lance Ramshaw, Jeff Kaufman, Michelle Franchini, and Mohammed El-Bachouti. 2012. OntoNotes release 5.0. *LDC Catalog*.

A Dataset card

Following work by Mitchell et al. (2019) and (Gebu et al., 2021), we provide a dataset card for DANSK following the format proposed in Lhoest et al. (2021), which can be accessed here: <https://huggingface.co/datasets/chcaa/dansk-ner>

A.1 Dataset Summary

DANSK: Danish Annotations for NLP Specific Tasks is a dataset consisting of texts from multiple domains, sampled from the Danish GigaWord Corpus (DAGW).¹⁵ The dataset was created to fill in the gap of Danish NLP datasets from different domains, that are required for training models that generalize across domains. The Named-Entity annotations are moreover fine-grained and have a similar form to that of OntoNotes v5, which significantly broadens the use cases of the dataset. The domains include Web, News, Wiki & Books, Legal, Dan-net, Conversation and Social Media. For a more in-depth understanding of the domains, please refer to DAGW.

The distribution of texts and Named Entities within each domain can be seen in the table below:

A.1.1 Update log

- 2023-05-26: Added individual annotations for each annotator to allow for analysis of inter-annotator agreement

A.1.2 Supported Tasks

The DANSK dataset currently only supports Named-Entity Recognition, but additional version releases will contain data for more tasks.

A.1.3 Languages

All texts in the dataset are in Danish. Slang from various platforms or dialects may appear, consistent with the domains from which the texts originally have been sampled - e.g. Social Media.

¹⁵Note that DAGW is not part of the Linguistic Data Consortium family of Gigaword corpora, and has notable differences in its source and composition.

A.2 Dataset Structure

A.2.1 Data Instances

The JSON-formatted data is in the form seen below:

```
{
  "text": "Aborrer over 2 kg er en uhyre sj\u00e6lden fangst.",
  "ents": [{"start": 13, "end": 17, "label": "QUANTITY"}],
  "sents": [{"start": 0, "end": 45}],
  "tokens": [
    {"id": 0, "start": 0, "end": 7},
    {"id": 1, "start": 8, "end": 12},
    {"id": 2, "start": 13, "end": 14},
    {"id": 3, "start": 15, "end": 17},
    {"id": 4, "start": 18, "end": 20},
    {"id": 5, "start": 21, "end": 23},
    {"id": 6, "start": 24, "end": 29},
    {"id": 7, "start": 30, "end": 37},
    {"id": 8, "start": 38, "end": 44},
    {"id": 9, "start": 44, "end": 45},
  ],
  "spans": {"incorrect_spans": []},
  "dagw_source": "wi ki",
  "dagw_domain": "Wiki & Books",
  "dagw_source_full": "Wiki pedia",
}
```

A.2.2 Data Fields

- `text`: The text
- `ents`: The annotated entities
- `sents`: The sentences of the text
- `dagw_source`: Shorthand name of the source from which the text has been sampled in the Danish Gigaword Corpus
- `dagw_source_full`: Full name of the source from which the text has been sampled in the Danish Gigaword Corpus
- `dagw_domain`: Name of the domain to which the source adheres to

A.2.3 Data Splits

The data was randomly split up into three distinct partitions; train, dev, as well as a test partition. The splits come from the same pool, and there are thus no underlying differences between the sets. To see the distribution of named entities, and domains of the different partitions, please refer to the paper, or read the superficial statistics provided in the Dataset composition section.

A.3 Descriptive Statistics

A.3.1 Dataset Composition

Named entity annotation composition across partitions is provided in Table 9.

A.3.2 Domain distribution

“Domains” within DANSK are inherited directly from the Danish Gigaword Corpus (DAGW) (Str\u00f8mberg-Derczynski et al., 2021). Naturally, some domains constitute more coherent genres of text than others

(e.g. “Legal” versus “Web” or “Social Media” but we have retained these labels to maintain consistency with DAGW. We take domain to refer to a distinct area or field of knowledge or activity characterized by its specific terminology, linguistic patterns, and/or unique challenges in language processing.

Domain and source distribution across partitions is provided in Table 10.

A.3.3 Entity Distribution across partitions

Domain and named entity distributions for the training, testing, and validation sets can be found in the full dataset card accompanying DANSK: <https://huggingface.co/datasets/chcaa/dansk-ner>

A.4 Dataset Creation

A.4.1 Curation Rationale

The dataset is meant to fill in the gap of Danish NLP that up until now has been missing a dataset with 1) fine-grained named entity recognition labels, and 2) high variance in domain origin of texts. As such, it is the intention that DANSK should be employed in training by anyone who wishes to create models for NER that are both generalizable across domains and fine-grained in their predictions. It may also be utilized to assess across-domain evaluations, in order to unfold any potential domain biases. While the dataset currently only entails annotations for named entities, it is the intention that future versions of the dataset will feature dependency Parsing, pos tagging, and possibly revised NER annotations.

A.4.2 Annotations

Annotation process To afford high granularity, the DANSK dataset utilized the annotation standard of OntoNotes 5.0, featuring 18 different named entity types. The full description can be seen in the associated paper.

Annotators 10 native Danish speakers enrolled in the English Linguistics Master’s program were recruited through announcements in classrooms. This degree program was chosen because students receive relevant training in general linguistics, including syntactic analysis. We employed a larger group of students to adhere to institutional limitations on the number of hours student workers can have. The demographic bias of our annotators (nine female, one male) reflects the demographics of this MA program. Annotators worked 10 hours/week for six weeks from October 11, 2021, to November 22, 2021. Their annotation tasks included part-of-speech tagging, dependency parsing, and NER

Table 9: Named entity annotation composition across partitions

	Full	Train	Validation	Test
Texts	15062	12062 (80%)	1500 (10%)	1500 (10%)
Named entities	14462	11638 (80.47%)	1327 (9.18%)	1497 (10.25%)
CARDINAL	2069	1702 (82.26%)	168 (8.12%)	226 (10.92%)
DATE	1756	1411 (80.35%)	182 (10.36%)	163 (9.28%)
EVENT	211	175 (82.94%)	19 (9.00%)	17 (8.06%)
FACILITY	246	200 (81.30%)	25 (10.16%)	21 (8.54%)
GPE	1604	1276 (79.55%)	135 (8.42%)	193 (12.03%)
LANGUAGE	126	53 (42.06%)	17 (13.49%)	56 (44.44%)
LAW	183	148 (80.87%)	17 (9.29%)	18 (9.84%)
LOCATION	424	351 (82.78%)	46 (10.85%)	27 (6.37%)
MONEY	714	566 (79.27%)	72 (10.08%)	76 (10.64%)
NORP	495	405 (81.82%)	41 (8.28%)	49 (9.90%)
ORDINAL	127	105 (82.68%)	11 (8.66%)	11 (8.66%)
ORGANIZATION	2507	1960 (78.18%)	249 (9.93%)	298 (11.87%)
PERCENT	148	123 (83.11%)	13 (8.78%)	12 (8.11%)
PERSON	2133	1767 (82.84%)	191 (8.95%)	175 (8.20%)
PRODUCT	763	634 (83.09%)	57 (7.47%)	72 (9.44%)
QUANTITY	292	242 (82.88%)	28 (9.59%)	22 (7.53%)
TIME	218	185 (84.86%)	18 (8.26%)	15 (6.88%)
WORK OF ART	419	335 (79.95%)	38 (9.07%)	46 (10.98%)

annotation. Annotators were compensated at the standard rate for students, as determined by the collective agreement of the Danish Ministry of Finance and the Central Organization of Teachers and the CO10 Central Organization of 2010 (the CO10 joint agreement), which is 140DKK/hour. Named entity annotations and dependency parsing was done from scratch, while the POS tagging consisted of corrections of silver-standard predictions by an NLP model.

A.5 Automatic correction

During the manual correction of the annotation a series of consistent errors were found. These were corrected using Regex patterns (in Appendix A.5.1) which can also be viewed in full with the DANSK release along with the Danish Addendum to the Ontonotes annotation guidelines: <https://huggingface.co/datasets/chcaa/dansk-ner>.

Table 10: Domain and source distribution across partitions

Domain	Source	Full	Train	Dev	Test
Conversation	Europa Parlamentet	206	173	17	16
Conversation	Folketinget	23	21	1	1
Conversation	NAAT	554	431	50	73
Conversation	OpenSubtitles	377	300	39	38
Conversation	Spontaneous speech	489	395	54	40
Dannet	Dannet	25	18	4	3
Legal	Retsinformation.dk	965	747	105	113
Legal	Skat.dk	471	364	53	54
Legal	Retspraktis	727	579	76	72
News	DanAvis	283	236	20	27
News	TV2R	138	110	16	12
Social Media	hestenettet.dk	554	439	51	64
Web	Common Crawl	8270	6661	826	783
Wiki & Books	adl	640	517	57	66
Wiki & Books	Wikipedia	279	208	30	41
Wiki & Books	WikiBooks	335	265	36	34
Wiki & Books	WikiSource	455	371	43	41

A.5.1 Regex patterns

For matching with TIME spans, e.g. [16:30 - 17:30] (TIME):
 $\backslash d\{1,2\}:\backslash d\backslash d\ ?[-|\backslash|/|\wedge] \ ?\backslash d$
 dag: $\backslash d\{1,2\}$

For matching with DATE spans, e.g. [1938 - 1992] (DATE):
 $\backslash d\{2,4\} \ ?[-|{}] \ ?\backslash d\{2,4\}$

For matching companies with A/S og ApS,
 e.g. [Hansens Skomager A/S] (ORGANIZATION):
 ApS
 A\ /S

For matching written numerals, e.g. "en":
 $to | to\$|^to | To | To\$|^To | TO | TO\$|^TO |$
 $tre | tre\$|^tre | Tre | Tre\$|^Tre | TRE | TRE\$|^TRE |$
 $fire | fire\$|^fire | Fire | Fire\$|^Fire | FIRE | FIRE\$|^FIRE |$
 $fem | fem\$|^fem | Fem | Fem\$|^Fem | FEM | FEM\$|^FEM |$
 $seks | seks\$|^seks | Seks | Seks\$|^Seks | SEKS | SEKS\$ |$
 $^SYV |$
 $otte | otte\$|^otte | Otte | Otte\$|^Otte | OTTE | OTTE\$|^OTTE |$
 $ni | ni\$|^ni | Ni | Ni\$|^Ni | NI | NI\$|^NI |$
 $ti | ti\$|^ti | Ti | Ti\$|^Ti | TI | TI\$|^TI$

For matching "Himlen" or "Himmelen" already annotated
 as LOCATION, e.g. "HIMLEN":
 $[Hh][i l][mM][l l][Ee][Nn] | [Hh][i l][mM][mM][Ee][l l][Ee][Nn]$

For matching "Gud" already tagged as PERSON, e.g. "GUD":
 $[Gg][Uu][Dd]$

For matching telephone numbers wrongly already
 tagged as CARDINAL, e.g. "20 40 44 30":
 $\backslash d\{2\} \backslash d\{2\} \backslash d\{2\} \backslash d\{2\}$
 $\backslash +\backslash d\{2\} \backslash d\{2\} \ ?\backslash d\{2\} \ ?\backslash d\{2\} \$$
 $\backslash +\backslash d\{2\} \backslash d\{2\} \ ?\backslash d\{2\} \ ?\backslash d\{2\} \$$
 $\backslash d\{4\} \ ?\backslash d\{4\} \$$
 $^{\backslash d\{4\}} \ ?\backslash d\{4\} \$$

For matching websites already
 wrongly tagged as ORGANIZATION:

$.dk\$ | .com\$$

For matching Hotels and Resorts
 already wrongly tagged as ORGANIZATION:
 $.*[hH]otel.* | .*[Rr]esort.*$

For matching numbers including /
 or :, already wrongly tagged as CARDINAL:
 \wedge
 \wedge
 $-$

For matching rights already
 wrongly tagged as LAW:
 $[C|c]opyright$
 $[@|@]$
 $[f|F]ortrydelsesret$
 $[o|O]phavsrets$
 enneskeret

A.6 Licensing Information

Creative Commons Attribution-Share Alike 4.0 International license

